Please check the examination details bel	ow before ente	ering your candidate information						
Candidate surname		Other names						
Centre Number Candidate No	umber							
Pearson Edexcel Inter	Pearson Edexcel International Advanced Level							
Time 1 hour 30 minutes	Paper reference	WCH11/01						
Chemistry								
International Advanced Subsidiary/Advanced Level UNIT 1: Structure, Bonding and Introduction to Organic Chemistry								
You must have: Scientific calculator, ruler		Total Marks						

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 80.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- You will be assessed on your ability to organise and present information, ideas, descriptions and arguments clearly and logically, including your use of grammar, punctuation and spelling.
- A Periodic Table is printed on the back cover of this paper.

Advice

- Read each question carefully before you start to answer it.
- Show all your working in calculations and include units where appropriate.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







SECTION A

Answer ALL the questions in this section.

You should aim to spend no more than 20 minutes on this section.

For each question, select one answer from A to D and put a cross in the box ⊠. If you change your mind, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1 Which compound contains 2.35×10^{22} molecules in 2.50 g?

[Avogadro constant $L = 6.02 \times 10^{23} \,\mathrm{mol}^{-1}$

 M_r values: CO = 28.0 CO₂ = 44.0 SO₂ = 64.1 SO₃ = 80.1]

- X A CO
- **B** CO₂
- X **C** SO₂
- $D SO_3$

(Total for Question 1 = 1 mark)

2 What is the concentration of hydroxide ions in a solution containing $5.00 \,\mathrm{g}$ of Ba(OH)₂ in 250 cm³?

$$[M_r \text{ Ba(OH)}_2 = 171.3]$$

- **A** 0.0292 mol dm⁻³
- X 0.0584 mol dm⁻³
- C 0.1168 mol dm⁻³ X
- **D** 0.2335 mol dm⁻³ X

(Total for Question 2 = 1 mark)

3 A sample of 15.0 g of vanadium reacted completely with 7.07 g of oxygen.

What is the formula of the oxide?

 $[A_r \text{ values: } V = 50.9 \quad O = 16.0]$

- A VO
- \square **B** V_2O_3
- C VO₂
- \square **D** V_2O_5

(Total for Question 3 = 1 mark)

What is the pressure when 5.00 mol of nitrogen in a container with a volume of 1.50 m³ is heated to 500 K?

 $[pV = nRT \quad R = 8.31 \,\mathrm{J \, K^{-1} \, mol^{-1}}]$

- B 6290 Pa
- ☑ D 31 200 Pa

(Total for Question 4 = 1 mark)

5 Which is the equation for the reaction of magnesium chloride solution with sodium hydroxide solution?

- \square **A** Mg⁺(aq) + OH⁻(aq) \rightarrow MgOH(s)
- \square **B** Mg²⁺(aq) + 2OH⁻(aq) \rightarrow Mg(OH)₂(s)
- \square **C** MgCl(aq) + NaOH(aq) \rightarrow MgOH(aq) + NaCl(aq)
- \square **D** MgCl₂(aq) + 2NaOH(aq) \rightarrow Mg(OH)₂(aq) + 2NaCl(aq)


(Total for Question 5 = 1 mark)

6 How many neutrons and electrons are there in $^{190}_{79}$ Au²⁺?

		Neutrons	Electrons					
X	A	111	77					
X	В	111	81					
X	C	190	79					
X	D	190	77					

(Total for Question 6 = 1 mark)

7 The mass spectrum of an element is shown.



What is the relative atomic mass of this element?

- A 90.0
- **■ B** 90.9
- **C** 91.2
- **■ D** 92.8

(Total for Question 7 = 1 mark)

8 Which is the equation for the **second** ionisation of element J?

 \square **A** $J(g) \rightarrow J^{2+}(g) + 2e^{-}$

 \square **B** $J^+(g) \rightarrow J^{2+}(g) + e^-$

 \square **C** $J^+(g) \rightarrow J^{3+}(g) + 2e^-$

 \square **D** $J^{2+}(g) \rightarrow J^{3+}(g) + e^{-}$

(Total for Question 8 = 1 mark)

9 Which is a reason why fluorine has a higher first ionisation energy than oxygen?

A a fluorine atom has fewer unpaired electrons

B a fluorine atom has fewer shells of electrons

C a fluorine atom has more electrons

D a fluorine atom has more protons

(Total for Question 9 = 1 mark)

10 Which is the electronic configuration of chromium?

 \square **A** [Ar] $\uparrow \downarrow \uparrow \downarrow \uparrow \downarrow$ $\uparrow \downarrow$

 \square **B** [Ar] \uparrow \uparrow \uparrow \uparrow

C [Ar] ↑ ↑ ↑ ↑ ↑ ↑

(Total for Question 10 = 1 mark)

		t melting temperature?	ected to form the compound with the
×	A	Li ⁺ and Br ⁻	
×	В	Mg ²⁺ and O ²⁻	
×	C	Sr ²⁺ and S ²⁻	
×	D	Rb ⁺ and Cl [−]	
			(Total for Question 11 = 1 mark)
2 W/bi	ich i	s a use of graphene based on its el	actrical properties?
Z WIII		drill tips	ectrical properties:
×		pencils	
×		touch screens	
×		body armour	
		,	(Total for Question 12 = 1 mark)
			(Total for Question 12 - 1 mark)
3 Whi	ich r	nolecule has the largest bond ang	lle?
X	A	BCl ₃	
X	В	CO ₂	
X	C	H ₂ O	
X	D	NH ₃	
			(Total for Question 13 = 1 mark)
4 \//bi	ich r	nolecule is polar?	
× WIII		1,1-dibromopropane	
×		• •	
		E-1,2-dibromoethene	
×		hexafluoroethane	
×	D	tetrachloromethane	
			(Total for Question 14 = 1

15 Prop-2-en-1-ol is flammable, toxic and an environmental hazard.

Which hazard symbols should be shown on its container?















X







X








(Total for Question 15 = 1 mark)

16 Which is the skeletal structure for 3,4-dichloro-2,2-dimethylpentane?



- □ B Cl Cl
- CCI CCI
- Cl Cl

(Total for Question 16 = 1 mark)

17 What is the name of a series such as the one shown?

- A addition
- B heterolytic
- C homologous
- **D** homolytic

(Total for Question 17 = 1 mark)

18 Which is **not** a step in the reaction of chlorine with propane in ultraviolet radiation?

$$\square$$
 A $C_3H_7^{\bullet}$ + Cl^{\bullet} \rightarrow C_3H_7Cl

B
$$C_3H_7^{\bullet} + C_3H_7^{\bullet} \rightarrow C_6H_{14}$$

$$\square$$
 C $C_3H_7^{\bullet}$ + $Cl_2 \rightarrow C_3H_7Cl$ + Cl^{\bullet}

$$\square$$
 D $C_3H_7^{\bullet}$ + HCl \rightarrow C_3H_7Cl + H $^{\bullet}$

(Total for Question 18 = 1 mark)

19 Why does free radical substitution have limited use in industrial chemistry?

- A the reactions only occur in the upper atmosphere
- **B** initiation requires ultraviolet radiation
- ☑ C further substitution products are formed
- **D** termination reactions produce unwanted products

(Total for Question 19 = 1 mark)

20 Which molecule can exist as *E-Z* isomers?

- A 2-chloro-4-ethylhex-3-ene
- B 3-chloro-2-methylhex-2-ene
- C 2,3-dimethylhex-2-ene
- **D** 2,5-dichlorohex-3-ene

(Total for Question 20 = 1 mark)


TOTAL FOR SECTION A = 20 MARKS



SECTION B

Answer ALL the questions. Write your answers in the spaces provided.

21 The structure of a compound **X** is shown. **X** is present in petrol.



(a) (i) Give the molecular formula and IUPAC name for X.

(2)

(ii) Name the industrial process used to produce **X** from the straight-chain isomer.

(1)

- (b) Heptane is also present in petrol.
 - (i) Write an equation for the **complete** combustion of heptane. Include state symbols.

(2)


(ii) Identify, by name or formula, a pollutant that may result from the **incomplete** combustion of heptane.

(1)



	(Total for Question 21 = 8 mar	rks)
		(2)
	Give two environmental benefits of using electric cars. Justify your answers.	(2)
(c)	Recently, sales of electric cars have increased.	

- **22** This question is about propene and some related compounds.
 - (a) Some reactions of propene are shown.



(i) Identify, by name or formula, the catalyst needed for Reaction 1.

(1)

(ii) Name product A.

(1)

(iii) Identify, by name or formula, the substances needed for Reaction 2.

(2)

(iv) Draw the **displayed** formula of product B.

(1)




(b) (i)	Propene can undergo addition polymerisation.	
	Write the equation for the polymerisation of propene.	
		(2)

(ii) Over 70 million tonnes of poly(propene) are produced each year.	
State two problems with the disposal of polymers such as poly(propene).	(2)

- (c) Hydrogen bromide reacts with 3-bromopropene to form 1,2-dibromopropane as the major product.
 - (i) Complete the mechanism to show this reaction. Include curly arrows, and any relevant lone pairs and dipoles.

(4)





(ii) Explain why 1,2-dibromopropane is the major product instead of 1,3-dibromopropane.

(2)

(Total for Question 22 = 15 marks)

- 23 Oxygen is vital in the treatment of respiratory diseases. Oxygen is traditionally produced by the fractional distillation of air.
 - (a) Suggest **one** difference between the fractional distillation of air and of crude oil.

(1)

(b) Hospital patients sometimes need to breathe air with a higher than normal concentration of oxygen.

The oxygen concentration can be increased to 90% by passing dry air through a tube filled with zeolite which adsorbs most of the nitrogen.

(i) Dry air contains 21.0 % oxygen by volume. The average human breath has a volume of 500 cm³.

Calculate the volume of air, in dm³, that would have to pass over the zeolite to obtain 500 cm³ of gas containing 90 % oxygen by volume.

(2)

(ii) Nitrogen molecules bind to zeolite using their outer electrons.

Draw a dot-and-cross diagram of the bonding in a nitrogen molecule. Show outer electrons only.

(2)



- (c) Liquid oxygen is transported across the world. Liquid oxygen has a density of 1140 g dm⁻³.
 - (i) Calculate the volume of gas, **in m**³, measured at room temperature and pressure (r.t.p.) that can be obtained from a bottle containing 13.9 dm³ of liquid oxygen.

[Molar volume at r.t.p. = $24.0 \,\mathrm{dm^3 \,mol^{-1}}$]

(4)

(ii) The total mass of the bottle is 80.0 kg when it is full of oxygen.

Calculate the mass of an empty bottle, using your working from (c)(i). Give your answer to an appropriate number of significant figures.

(1)

(iii) Explain why the container needs to have such a large mass.

(2)


(Total for Question 23 = 12 marks)

24 The radii of ions of some successive elements in the Periodic Table are shown.

lon	N ³⁻	O ²⁻	F ⁻	Na⁺	Mg ²⁺	Al ³⁺
lonic radius / pm	171	140	133	102		54

(a) (i) Plot a graph of the data.

(2)



(ii) Predict the radius of the magnesium ion using a straight line of best fit on your graph.	(2)
(iii) Explain the trend in the ionic radii from the nitride ion to the aluminium ion.	(3)
(b) Sodium and fluorine react to form a compound.	
(i) State the structure and bonding of sodium fluoride.	(1)





(ii) Explain how the electrical conductivity of sodium fluoride provides evidence for the existence of ions.							
	for the existence of foris.	(3)					
	(iii) Explain why the fluoride ion is difficult to polarise.	(2)					
	(iii) Explain why the fluoride ion is difficult to polarise.	(2)					
	(iii) Explain why the fluoride ion is difficult to polarise.	(2)					
	(iii) Explain why the fluoride ion is difficult to polarise.	(2)					
	(iii) Explain why the fluoride ion is difficult to polarise.	(2)					
	(iii) Explain why the fluoride ion is difficult to polarise.	(2)					
	(iii) Explain why the fluoride ion is difficult to polarise. (Total for Question 24 = 13 ma						

- **25** This question is about aluminium and its compounds.
 - (a) (i) State the shape of a molecule of aluminium trichloride, AlCl₃.

(1)

(ii) Aluminium chloride can exist as a dimer formed from two molecules of aluminium trichloride.

Draw a diagram of this dimer, showing the bonding between the two molecules.

(2)

(b) Aluminium trichloride reacts vigorously with water to produce hydrogen chloride and aluminium hydroxide, Al(OH)₃.

Write the equation for this reaction. State symbols are not required.

(1)



(c) Aluminium trichloride also reacts with sodium hydroxide.

$$AlCl_3(g) + 3NaOH(aq) \rightarrow Al(OH)_3(s) + 3NaCl(aq)$$

Calculate the maximum mass of aluminium hydroxide precipitated when excess aluminium trichloride reacts with 150 cm³ of 1.5 mol dm⁻³ sodium hydroxide.

(3)

(d) (i)	Describe the metallic bonding in aluminium.	(3)
(ii)	Explain how metallic bonding leads to the properties of electrical conductivity	
	and malleability shown by aluminium.	(2)
	(Total for Question 25 = 12 ma	rks)

TOTAL FOR SECTION B = 60 MARKS
TOTAL FOR PAPER = 80 MARKS



BLANK PAGE



The Periodic Table of Elements

0 (8)	(18)		helium	7
7				(17)
9				(16)
Ŋ				(15)
4				(14)
ო				(13)
	1.0	I	hydrogen	Key
2				(2)
-				Ξ

		I							1							Т				1		
4.0 He	helium 2	20.2	Re	neon	10	39.9	Αľ	argon 18	83.8	궃	krypton	36	131.3	Xe	xenon 5.4	7	[777]	돌	radon 86		ted	
	(17)	19.0	L	fluorine	6	35.5	ರ	chlorine 17	79.9	Br	bromine	35	126.9	Ι	iodine 53	2 2	[7]	Αt	astatine 85		een repor	
	(16)	16.0	0	oxygen	8	32.1	S	sulfur 16	79.0	Se	selenium	34	127.6	<u>P</u>	tellurium 52	2002	[607]	오	polonium 84		116 have b	ticated
	(15)	14.0	z			31.0	۵	phosphorus 15	74.9	As	arsenic	33	121.8	Sp	antimony 51	5 8	0.607	ᅙ	bismuth 83		nbers 112-	but not fully authenticated
	(14)	12.0	U	carbon	9	28.1		silicon 14	72.6	ge	germanium	32	118.7	Sn	ţi.	2, 20	7./07	€	lead 82		atomic nun	but not fi
	(13)	10.8	മ	boron	5	27.0	¥	aluminium 13	69.7	Ga	gallium	31	114.8	п	indium	44,	4.4.	=	thallium 81		Elements with atomic numbers 112-116 have been reported	
	'							(12)	65.4	Zn	zinc	30	112.4	<u>გ</u>	cadmium 48	φ \ λ	500.6	E E	mercury 80			
								(11)	63.5	J	copper	29	107.9	Ag	silver 47	4,	0.76	A	gold 79	[272]	Rg	roentgenium 111
								(10)	58.7	Ë	nickel	28	106.4	Pd	palladium 46	4 5		۲,	platinum 78	[271]	Os	darmstadtii 110
								(6)	58.9	ပိ	cobalt	27	102.9	格	rhodium	+ 5	7.761	_	iridium 77	[368]	Mt	meitnerium 109
1.0 H	1							(8)	55.8	Fe	iron			Ru					osmium 76		¥	_
								0	54.9	۸n	manganese	25	[86]	ည	technetium	£ ,	7.00	A P	rhenium 75	[264]	Bh	bohrium 107
		mass	loc		nmber			(9)	52.0	ပံ	chromium manganese	24	95.9	Wo	m molybdenum technetium ru	74	0		tungsten 74	[592]	Sg	seaborgium t 106
	Key	relative atomic mass	atomic symbol	name	atomic (proton) number			(5)	50.9	>	Ē	23	92.9	g	niobium r	1 6	 1	<u>ത</u>	tantalum 73	[597]	op O	dubnium 105
		relati	ato		atomic			(4)	47.9	ï	titanium	22	91.2	Zr	zirconium	, 15 16 17	0.0/	ŧ	hafnium 72	[261]		nutherfordium 104
								(3)		Sc	scandium	21	88.9	>	/ttrium	7	. 136.9	La,	lanthanum 57	[227]	Ac*	actinium r 89
	(2)	9.0	Be	beryllium	4	24.3	Ag	magnesium 12	40.1	Ca	calcinm	20	97.6	Ş	strontium	30		g	barium 56	[526]		radium 88
	(1)	6.9	ב	lithium	3	23.0	Na	_	39.1	¥	potassium	19	85.5	&	rubidium 27	7	52.7	s ·	caesium 55	[223]	F	francium 87
											_											

^{*} Lanthanide series



^{*} Actinide series