Vrite your name here Surname	Other r	names
Pearson Edexcel International Idvanced Level	Centre Number	Candidate Number
<b>Statistics</b> :	<b>C1</b>	
Advanced/Advance	_	
	d Subsidiary	Paper Reference WST01/01
Advanced/Advance Wednesday 15 June 2016 -	d Subsidiary	'

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

## Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided - there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. When a calculator is used, the answer should be given to an appropriate degree of accuracy.

## Information

- The total mark for this paper is 75.
- The marks for **each** question are shown in brackets - use this as a guide as to how much time to spend on each question.

## Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



1. The percentage oil content, p, and the weight, w milligrams, of each of 10 randomly selected sunflower seeds were recorded. These data are summarised below.

$$\sum w^2 = 41252$$
  $\sum wp = 27557.8$   $\sum w = 640$   $\sum p = 431$   $S_{pp} = 2.72$ 

(a) Find the value of  $S_{ww}$  and the value of  $S_{wp}$ 

**(3)** 

(b) Calculate the product moment correlation coefficient between p and w

**(2)** 

(c) Give an interpretation of your product moment correlation coefficient.

**(1)** 

The equation of the regression line of p on w is given in the form p = a + bw

(d) Find the equation of the regression line of p on w

**(4)** 

(e) Hence estimate the percentage oil content of a sunflower seed which weighs 60 milligrams.

**(2)** 

	1
estion 1 continued	`



Question 1 continued		

Question 1 continued	blank
	Q1
(Total 12 marks)	



2.	The time taken to complete a puzzle, in minutes, is recorded for each person in a club. The times are summarised in a grouped frequency distribution and represented by a histogram.
	One of the class intervals has a frequency of 20 and is shown by a bar of width 1.5 cm and height 12 cm on the histogram. The total area under the histogram is 94.5 cm <sup>2</sup>
	Find the number of people in the club.
	(3)



Question 2 continued	blank
	02
	Q2
(Total 3 marks)	



3. The discrete random variable X has probability distribution

$$P(X = x) = \frac{1}{5}$$
  $x = 1, 2, 3, 4, 5$ 

(a) Write down the name given to this distribution.

**(1)** 

Leave blank

Find

(b) P(X = 4)

**(1)** 

(c) F(3)

**(1)** 

(d) P(3X-3 > X+4)

**(2)** 

(e) Write down E(X)

**(1)** 

(f) Find  $E(X^2)$ 

**(2)** 

(g) Hence find Var(X)

**(2)** 

Given that E(aX - 3) = 11.4

(h) find Var(aX - 3)

**(4)** 

estion 3 continued	



Question 3 continued	

Question 3 continued		Leave blank
		Q3
	(Total 14 marks)	



**4.** A researcher recorded the time, *t* minutes, spent using a mobile phone during a particular afternoon, for each child in a club.

The researcher coded the data using  $v = \frac{t-5}{10}$  and the results are summarised in the table below.

Coded Time (v)	Frequency (f)	Coded Time Midpoint (m)
$0 \leqslant v < 5$	20	2.5
5 ≤ <i>v</i> < 10	24	а
$10 \leqslant v < 15$	16	12.5
15 ≤ <i>v</i> < 20	14	17.5
20 ≤ v < 30	6	ь

(You may use  $\sum fm = 825$  and  $\sum fm^2 = 12012.5$ )

(a) Write down the value of a and the value of b.

**(1)** 

(b) Calculate an estimate of the mean of v.

**(1)** 

(c) Calculate an estimate of the standard deviation of v.

**(2)** 

(d) Use linear interpolation to estimate the median of v.

**(2)** 

(e) Hence describe the skewness of the distribution. Give a reason for your answer.

**(2)** 

(f) Calculate estimates of the mean and the standard deviation of the time spent using a mobile phone during the afternoon by the children in this club.

**(4)** 



	Lea
	bla
uestion 4 continued	



	Leave blank
Question 4 continued	
	Q4
(Total 12 marks)	



5. A biased tetrahedral die has faces numbered 0, 1, 2 and 3. The die is rolled and the number face down on the die, X, is recorded. The probability distribution of X is

х	0	1	2	3
P(X=x)	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{2}$

If X = 3 then the final score is 3

If  $X \neq 3$  then the die is rolled again and the final score is the sum of the two numbers.

The random variable *T* is the final score.

(a) Find P(T=2)

**(2)** 

(b) Find P(T = 3)

**(3)** 

(c) Given that the die is rolled twice, find the probability that the final score is 3

**(3)** 



uestion 5 continued		L b
	estion 5 continued	ט
	estion 5 continued	



Question 5 continued	

Question 5 continued	blank
	Q5
(Total 8 marks)	



Three events A, B and C are such that

$$P(A) = \frac{2}{5}$$

$$P(C) = \frac{1}{2}$$

$$P(C) = \frac{1}{2}$$
  $P(A \cup B) = \frac{5}{8}$ 

Given that A and C are mutually exclusive find

(a) 
$$P(A \cup C)$$

**(1)** 

Given that A and B are independent

(b) show that 
$$P(B) = \frac{3}{8}$$

**(4)** 

(c) Find  $P(A \mid B)$ 

**(1)** 

Given that  $P(C' \cap B') = 0.3$ 

(d) draw a Venn diagram to represent the events A, B and C

**(5)** 

uestion 6 continued	



Question 6 continued		

Question 6 continued	Leave
	Q6
(Total 11 marks)	
(	



7. A machine fills bottles with water. The volume of water delivered by the machine to a bottle is X ml where  $X \sim N(\mu, \sigma^2)$ 

One of these bottles of water is selected at random.

Given that  $\mu = 503$  and  $\sigma = 1.6$ 

- (a) find
  - (i) P(X > 505)
  - (ii) P(501 < X < 505)

**(5)** 

(b) Find w such that P(1006 - w < X < w) = 0.9426

**(3)** 

Following adjustments to the machine, the volume of water delivered by the machine to a bottle is such that  $\mu = 503$  and  $\sigma = q$ 

Given that P(X < r) = 0.01 and P(X > r + 6) = 0.05

(c) find the value of r and the value of q

**(7)** 



	Lea
	bla
Question 7 continued	
	1



Question 7 continued	

	Leave
	blank
Question 7 continued	

