Please check the examination details below before entering your candidate information				
Candidate surname			Other name	S
Pearson Edexcel International Advanced Level	Centre	Number		Candidate Number
Friday 7 June	20	19		
Afternoon (Time: 2 hours) Pape		Paper Re	Paper Reference WPS04/01	
Psychology				
International Advanced Level Paper 4: Clinical Psychology and Psychological Skills				
You do not need any other man	terials.			Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 96.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- The list of formulae and statistical tables are printed at the start of this paper.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ▶



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

FORMULAE AND STATISTICAL TABLES

Standard deviation (sample estimate)

$$\left(\frac{\sum (x-\bar{x})^2}{n-1}\right)$$

Spearman's rank correlation coefficient

$$1 - \frac{6\sum d^2}{n(n^2 - 1)}$$

Critical values for Spearman's rank

Level of significance for a one-tailed test

	0.05	0.025	0.01	0.005	0.0025
	Le	vel of signifi	cance for a	two-tailed t	est
N	0.10	0.05	0.025	0.01	0.005
5	0.900	1.000	1.000	1.000	1.000
6	0.829	0.886	0.943	1.000	1.000
7	0.714	0.786	0.893	0.929	0.964
8	0.643	0.738	0.833	0.881	0.905
9	0.600	0.700	0.783	0.833	0.867
10	0.564	0.648	0.745	0.794	0.830
11	0.536	0.618	0.709	0.755	0.800
12	0.503	0.587	0.678	0.727	0.769
13	0.484	0.560	0.648	0.703	0.747
14	0.464	0.538	0.626	0.679	0.723
15	0.446	0.521	0.604	0.654	0.700
16	0.429	0.503	0.582	0.635	0.679
17	0.414	0.485	0.566	0.615	0.662
18	0.401	0.472	0.550	0.600	0.643
19	0.391	0.460	0.535	0.584	0.628
20	0.380	0.447	0.520	0.570	0.612
21	0.370	0.435	0.508	0.556	0.599
22	0.361	0.425	0.496	0.544	0.586
23	0.353	0.415	0.486	0.532	0.573
24	0.344	0.406	0.476	0.521	0.562
25	0.337	0.398	0.466	0.511	0.551
26	0.331	0.390	0.457	0.501	0.541
27	0.324	0.382	0.448	0.491	0.531
28	0.317	0.375	0.440	0.483	0.522
29	0.312	0.368	0.433	0.475	0.513
30	0.306	0.362	0.425	0.467	0.504

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Chi-squared distribution formula

$$X^{2} = \sum \frac{(O-E)^{2}}{E}$$
 $df = (r-1)(c-1)$

Critical values for chi-squared distribution

Level of significance for a one-tailed test

	0.10	0.05	0.025	0.01	0.005	0.0005
	0.10		ignificance			0.0003
df	0.20	0.10	0.05	0.025	0.01	0.001
1	1.64	2.71	3.84	5.02	6.64	10.83
2	3.22	4.61	5.99	7.38	9.21	13.82
3	4.64	6.25	7.82	9.35	11.35	16.27
4	5.99	7.78	9.49	11.14	13.28	18.47
5	7.29	9.24	11.07	12.83	15.09	20.52
6	8.56	10.65	12.59	14.45	16.81	22.46
7	9.80	12.02	14.07	16.01	18.48	24.32
8	11.03	13.36	15.51	17.54	20.09	26.12
9	12.24	14.68	16.92	19.02	21.67	27.88
10	13.44	15.99	18.31	20.48	23.21	29.59
11	14.63	17.28	19.68	21.92	24.73	31.26
12	15.81	18.55	21.03	23.34	26.22	32.91
13	16.99	19.81	22.36	24.74	27.69	34.53
14	18.15	21.06	23.69	26.12	29.14	36.12
15	19.31	22.31	25.00	27.49	30.58	37.70
16	20.47	23.54	26.30	28.85	32.00	39.25
17	21.62	24.77	27.59	30.19	33.41	40.79
18	22.76	25.99	28.87	31.53	34.81	42.31
19	23.90	27.20	30.14	32.85	36.19	43.82
20	25.04	28.41	31.41	34.17	37.57	45.32
21	26.17	29.62	32.67	35.48	38.93	46.80
22	27.30	30.81	33.92	36.78	40.29	48.27
23	28.43	32.01	35.17	38.08	41.64	49.73
24	29.55	33.20	36.42	39.36	42.98	51.18
25	30.68	34.38	37.65	40.65	44.31	52.62
26	31.80	35.56	38.89	41.92	45.64	54.05
27	32.91	36.74	40.11	43.20	46.96	55.48
28	34.03	37.92	41.34	44.46	48.28	56.89
29	35.14	39.09	42.56	45.72	49.59	58.30
30	36.25	40.26	43.77	46.98	50.89	59.70
40	47.27	51.81	55.76	59.34	63.69	73.40
50	58.16	63.17	67.51	71.42	76.15	86.66
60	68.97	74.40	79.08	83.30	88.38	99.61
70	79.72	85.53	90.53	95.02	100.43	112.32

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Wilcoxon Signed Ranks test process

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

Critical values for the Wilcoxon Signed Ranks test

Level of significance for a one-tailed test

	0.05	0.025	0.01
	Level of signif	icance for a two-	tailed test
n	0.1	0.05	0.02
N=5	0	-	-
6	2	0	-
7	3	2	0
8	5	3	1
9	8	5	3
10	11	8	5
11	13	10	7
12	17	13	9

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

SECTION A

CLINICAL PSYCHOLOGY

Answer ALL questions. Write your answers in the spaces provided.

- In your studies of clinical psychology you will have learned about mental health disorders such as schizophrenia.(a) Describe the symptoms and/or features of schizophrenia.



DO NOT WRITE IN THIS AREA

Explain two strengths of one biological explanation for either unipolar depression or anorexia nervosa. (4) Chosen disorder Strength 1 Strength 2 (Total for Question 1 = 7 marks)	(b) You will have also learned about either unipola	ar depression or anorexia nervosa.
Strength 1 Strength 2		
Strength 2	Chosen disorder	
	Strength 1	
(Total for Question 1 = 7 marks)	Strength 2	
(Total for Question 1 = 7 marks)		
(Total for Question 1 = 7 marks)		
(Total for Question 1 = 7 marks)		
(Total for Question 1 = 7 marks)		
		(Total for Question 1 = 7 marks)

DO NOT WRITE IN THIS AREA

(a) State one aim of the classic study by Rosenhan (1973).	
(a) State one and of the classic stady by noscillar (1979).	(1)
(b) Explain one strength and one weakness of the classic study by R	
	(4)
Strength	
Weakness	



DO NOT WRITE IN THIS AREA

(c) Explain one way Rosenhan's (1973) study could have been improved.	(2)
(Total for Question 2 = 7 ma	rks)
(10th 101 Question 2 7 miles	,

DO NOT WRITE IN THIS AREA

	,	Harrison was to Clinic A and is discussed with a mantal health discussor Harrison	
	3	Henima goes to Clinic A and is diagnosed with a mental health disorder. Henima	
		is unhappy with her diagnosis so she goes to Clinic B and is not diagnosed with a	
		mental health disorder.	
		mental health disorder.	
		Henima is worried about the reliability and validity of the diagnosis of mental health	
		disorders after her recent experience.	
		Explain whether Henima should be worried about the reliability and validity of the	
		diagnosis of mental health disorders.	
			(6)
			(-)
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
ı			
J			
- 1			



DO NOT WRITE IN THIS AREA

4	Sadiah is a clinical psychologist who has just been approached by a prestigious journal called 'Super Psychology Research' to conduct peer reviews on unpublished research articles.	
	Sadiah has received an article about the effectiveness of family therapy for the treatment of schizophrenia.	
	Describe how Sadiah would carry out a peer review of the article she has received for the journal 'Super Psychology Research'.	(4)
	(Total for Question 4 = 4 ma	rks)
		<u>, </u>



DO NOT WRITE IN THIS AREA

5	When diagnosing mental health issues clinicians use classification systems such as the ICD or DSM.	
	(a) State two features of the ICD.	(2)
1		(=)
2		
	(b) Compare the DSM IVR with the DSM V.	(2)
	(Total for Question 5 = 4 ma	urks)
	(Total for Question 3 = 1 me	ii K3)

AREA

DO NOT WRITE IN THIS

DO NOT WRITE IN THIS AREA

THIS AREA

DO NOT WRITE IN

6 Abbas used a questionnaire to investigate the attitude of young people (16 to 20 years old) towards those who have been diagnosed with a mental health issue.

Abbas used a number of ranked scale questions to determine how positive attitudes were towards those with a mental health issue.

On the ranked scale, mean scores of 1-3 indicated a negative attitude, 4 indicated a neutral attitude, and 5-7 indicated a positive attitude towards those with a mental health issue.

A tally of Abbas's results are shown in **Table 1**.

Negative attitude	Neutral attitude	Positive attitude
(mean score of 1-3)	(mean score of 4)	(mean score of 5-7)
++++	///	++++ ++++

Table 1

TOTAL FOR SECTION A = 32	2 MARKS
(Total for Question 6 =	4 marks)
(b) Explain one weakness of Abbas using a questionnaire in his investigation.	(2)
(a) Explain one conclusion that you could make from the data shown in Table 1 .	(2)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

SECTION B

Answer the question. Write your answer in the space provided.

7	Evaluate drug therapy as a treatment for schizophrenia.	(16)

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

•••••
······

DO NOT WRITE IN THIS AREA

(T	otal for Question 7 = 16 marks)
TOTA	L FOR SECTION B = 16 MARKS



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

SECTION C

PSYCHOLOGICAL SKILLS

Answer ALL questions. Write your answers in the spaces provided.

8	Arina has been asked to conduct an investigation into how the brain responds when
	a person is told a joke. Arina has decided to use positron emission tomography (PET) scanning for her investigation.
	(a) Describe how PET scanning could be used by Arina to investigate how the brain

responds when a person is told a joke.

(4)



DO NOT WRITE IN THIS AREA

			(4)
Strength			
Weakness			
Weakiress			
	(Total for Question 8 = 8	marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

9 Skylar wanted to investigate the influence of a reward on the behaviour of rats.

Skylar set up a maze and recorded how long, in seconds, it took rats to complete the maze. The time taken to complete the maze was recorded for each rat without a reward (Condition A) and for the same rats with a reward (Condition B).

Skylar's results are shown in **Table 2**.

Rat	Condition A	Condition B	
	Time taken (seconds) to complete the maze without a reward	Time taken (seconds) to complete the maze with a reward	
А	20.14	10.02	
В	19.89	15.21	
С	15.14	9.86	
D	25.21	19.86	
E	20.08	15.01	
Estimated total time for all rats (in seconds) to complete the maze			

Table 2

(a) Complete **Table 2** with the estimated total time to complete the maze for Condition A and Condition B.

(2)

Space for calculations

(b) Calculate the mean score of Condition B in **Table 2** to **four** significant figures.

(1)

Space for calculations

Mean score to four significant figures

DO NOT WRITE IN THIS AREA

c) Skylar decided to co	onduct a statistical test or	n her data.	
Explain which statis	tical test Skylar should us	se for her investigation.	(3)
		(Total for Question	on 9 = 6 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

10 Ahmed wanted to investigate the influence of violent video games on aggression.

Ahmed had two groups of different participants. Group 1 played a violent video game and Group 2 played a non-violent video game.

After playing the game, participants were asked how many aggressive thoughts they experienced. They were categorised as having less than 10 aggressive thoughts or more than 10 aggressive thoughts.

Ahmed's results are shown in Table 3.

	Less than 10 aggressive thoughts	More than 10 aggressive thoughts	Totals
Group 1:			
Violent video game	++++ //	++++ ++++	20
Group 2:			
Non-violent video game	++++ ++++	////	20

Table 3

(a) Explain one extraneous variable that Ahmed could have controlled for when

conducting his investigation.	(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) Complete **Table 4** and calculate chi-squared for Ahmed's investigation.

You **must** give all your answers to **one** decimal place.

(4)

		Observed	Expected	O-E	(O-E) ²	(O-E) ² /E
Violent	Less than 10 aggressive thoughts	7	11.5			
video game	More than 10 aggressive thoughts	13	8.5			
Non-violent video game	Less than 10 aggressive thoughts	16	11.5			
	More than 10 aggressive thoughts	4	8.5			
Chi-squared =						

Table 4
Space for calculations

 $X^2 = \dots$

(Total for Question 10 = 6 marks)

TOTAL FOR SECTION C = 20 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

SECTION D

Answer the question. Write your answer in the space provided.

11 A key question for society is whether biological factors are responsible for drug taking. Understanding this may help with the prevention of drug taking and avoid the damage it does to individuals and the costs to society.

Newton et al. (2009) asked drug users why they continue using drugs and take drugs again after they have not taken drugs for some time. The majority of respondents cited "pleasure seeking" and "impulsivity" as their primary reasons for taking drugs.

One explanation for the reasons given by the drug users is that repeated exposure to the drug changes the way the brain works and stimulates reward pathways. The dopamine reward system is stimulated and drugs affect synaptic functioning, which can lead to the user craving more drugs.

Another explanation for drug taking could be that drug users copy significant others who might take drugs in front of them. This behaviour might be reinforced by other factors, such as friends, when taking drugs.

Discuss the key question of whether biological factors are responsible for drug taking in society. You should use concepts, theories and/or research studied in your psychology course.

You must make reference to the context in your answer.

(8)

DO NOT WRITE IN THIS AREA

••••••



DO NOT WRITE IN THIS AREA

(Total for Question 11 = 8 marks)
TOTAL FOR SECTION D = 8 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

SECTION E Answer the question. Write your answer in the space provided. **12** Assess whether psychology has developed over time. (20)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

••••••



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 12 = 20 marks)
TOTAL FOR SECTION E = 20 MARKS TOTAL FOR PAPER = 96 MARKS



BLANK PAGE