			_
Please check the examination details belo	w before ente	ring your candidate	information
Candidate surname		Other names	
Centre Number Candidate Number Pearson Edexcel Interior		al GCSE (	0_1)
rearson Euexcer interi	iation	al GCSE (	J- 1 <i>)</i>
<b>Monday 6 Novembe</b>	r 2023	3	
Morning (Time: 2 hours)	Paper reference	4BI1/1B	4SD0/1B
Biology UNIT: 4BI1 Science (Double Award) 4E PAPER: 1B	BI1/4SD(	)	• •

### **Instructions**

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
  - there may be more space than you need.
- Show all the steps in any calculations and state the units.

#### Information

- The total mark for this paper is 110.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

### **Advice**

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶






### **Answer ALL questions.**

Some questions must be answered with a cross in a box  $\boxtimes$ . If you change your mind about an answer, put a line through the box  $\boxtimes$  and then mark your new answer with a cross  $\boxtimes$ .

1 This food web comes from a woodland ecosystem.



(a) (i) Which organism is the producer?

(1)

- A caterpillar
- **B** earthworm
- C oak tree
- **D** stoat

(ii) Which organism is a secondary consumer?

(1)

- A caterpillar
- **B** earthworm
- C fox
- D ladybird



(iii) Wh	nich	organism is both a secondary and a tertiary consumer?	(1)
$\times$	A	blackbird	
$\boxtimes$	В	earthworm	
$\boxtimes$	C	fox	
$\boxtimes$	D	stoat	
(b) A farm	er is	using a pesticide in fields next to the woodland.	
The pe		de is reducing the numbers of greenfly and caterpillars in and.	
(i) Exp	olain	what effect this may have on the blackbirds in the woodland.	(3)



(ii) Describe a different method the farmer could use to reduce the greenfly on his crops.	he number of
5 -	(3)
(Total for Qu	uestion 1 = 9 marks)

**BLANK PAGE** 



**2** A student investigates the effect of different concentrations of sucrose on potato tissue.

The student first makes a series of sucrose solutions using this dilution table.

Test tube	Volume of 1 molar sucrose solution in cm <sup>3</sup>	Volume of distilled water in cm <sup>3</sup>	Concentration of sucrose solution in mole per litre
1	20	0	1.0
2	16		0.8
3	12	8	0.6
4	8	12	0.4
5	4	16	0.2
6	0	20	0.0

(a) Complete the table by writing the volume of distilled water for test tube 2.

(1)



- (b) This is the student's method.
  - Step 1 cut six equal-size cylinders of potato each 5 cm in length
  - Step 2 dry the cut surfaces using filter paper
  - Step 3 measure the mass of each cylinder
  - Step 4 place one cylinder of potato in each of the six test tubes containing
    - 20 cm<sup>3</sup> of 1 molar (1.0 mole per litre) sucrose solution
    - 20 cm<sup>3</sup> of 0.8 molar sucrose solution
    - 20 cm<sup>3</sup> of 0.6 molar sucrose solution
    - 20 cm<sup>3</sup> of 0.4 molar sucrose solution
    - 20 cm<sup>3</sup> of 0.2 molar sucrose solution
    - 20 cm<sup>3</sup> of distilled water
  - Step 5 put a bung in each test tube and leave the test tubes for one hour
  - Step 6 remove the cylinders from each test tube
  - Step 7 dry the cylinders with filter paper
  - Step 8 measure the mass of each cylinder again

Fxt	olain	the	reason	for	sten	7	in	the	stuc	lent's	met	hod	١.
ᅩᄼᆝ	Jiaiii	UIC	i Casoni	101	step	,	1111	uic	Stuc	CIICS	HICL	HOU	



(2)

(c) The table shows the student's results.

Concentration of sucrose solution in mole per litre	Original mass in g	Final mass in g	Change in mass in g	Percentage change in mass (%)
1.0	2.1	1.8	-0.3	-14
0.8	2.1	1.9	-0.2	-9.5
0.6	2.2	2.2	0.0	0.0
0.4	2.2	2.3		
0.2	2.1	2.2	0.1	4.8
0.0	2.1	2.3	0.2	9.5

(i) Calculate the percentage change in mass for the 0.4 mole per litre sucrose solution.

(2)

percentage change = .....%




<ul><li>(ii) Comment on the effect of the difference potato tissue.</li></ul>	ferent concentratio	ns of sucrose on the	9
·			(5)
	(Tot	al for Question 2 =	10 marks)
	(100	ui ioi Questioii 2 –	10 marks



# **BLANK PAGE**

**3** (a) A student investigates the differences between inhaled and exhaled air using this apparatus.



(i) They use solution X to compare the concentration of carbon dioxide in inhaled and exhaled air.

Give the name of solution X.

(1)

(ii) Explain the changes that will take place in solution X in test tube A and in test tube B.

(3)

(iii) Other than concentration of carbon dioxide, state one other difference between exhaled air and inhaled air.

(1)

(b) Another student investigated the effect of the duration of exercise on their breathing rate.

These are their results.

Duration of exercise in seconds	Breathing rate in breaths per minute
0	22
30	26
60	28
90	32
120	35
150	38
180	42
210	40
240	40

(i) Give the independent variable in this investigation.


(1)



(ii) Plot a line graph to show the effect of duration of exercise on breathing rate.

Join the points with straight lines.

(5)



(iii) Describe the effect of duration of exercise on breathing rate.

(2)



(iv) Give one way the student could improve the	e reliability of their investigation. (1)
	(Total for Question 3 = 14 marks)

**BLANK PAGE** 




4 The diagram shows two samples of blood seen using a high power microscope.

One sample is of normal blood and the other sample is from a patient with a blood condition.

Normal blood

**Blood** condition



(a) State two differences between the normal blood sample and the sample from the patient with the blood condition.

(2)

1
2



(b) The line P-Q shown on the diagram has an actual length of 25  $\mu m$ .

 $[1000 \, \mu m = 1 \, mm]$ 

Calculate the magnification of the diagram.

(2)

 $magnification = \times .....$ 

(c) In a healthy person 1 cm $^3$  of blood contains  $5.0 \times 10^9$  red blood cells.

An adult has 5.0 litres (5.0 dm<sup>3</sup>) of blood in their body.

Calculate the number of red blood cells in the body of a healthy adult.

Give your answer in standard form.

$$[1 \, dm^3 = 1000 \, cm^3]$$

(2)

number .....



(d) Using the information from the diagram and your own knowledge, comment on the likely effect of the blood condition on the patient.	
	(4)
/Total for Orostian 4 10	aulca)
(Total for Question 4 = 10 mag	arks)

**5** Guinea pigs have either long hair or short hair. The hair length is controlled by one gene with two alleles.

The photograph shows a guinea pig with long hair and a guinea pig with short hair.



(Source: © Kallayanee Naloka/Shutterstock)

(a)	State what is meant by the term <b>allele</b> .	
		(1)



- (b) A breeder did the following crosses.
  - Cross 1 a male long-haired guinea pig with a female short-haired guinea pig, this produces five offspring all with short hair
  - Cross 2 a male short-haired guinea pig with a female long-haired guinea pig, this produces four offspring all with short hair
  - Cross 3 a male short-haired offspring from cross 1 with a female short-haired offspring from cross 2, this produces some offspring with long hair and some offspring with short hair
  - (i) Draw a genetic diagram to show the parents, gametes and all possible genotypes and phenotypes of the offspring from cross 3.

(4)

(ii) Calculate the probability that the first offspring born from cross 3 is a male with short hair.

(2)


probability = .....



(iii)	Some short-haired guinea pigs are homozygous and some short-haired guinea pigs are heterozygous.	
	Explain how a breeder could use a cross to determine the genotype of a short-haired guinea pig.	(2)
		(2)
(c) Gu	inea pigs stay completely still and do not move when they sense danger.	
	escribe how this behaviour has evolved by natural selection.	
		(4)
	(Total for Question 5 = 13 r	marks)



**6** The diagram shows a human reflex arc with some structures labelled. It is the withdrawal reflex, which allows a person to remove their hand from a hot object quickly.



(a) (i) Which structure is the sensory receptor?

(1)

- A L
- B P
- D S
- (ii) Which structure is the cell body of the relay neurone?

(1)

- X A L
- B N

(iii) Which structure is the motor neurone?

(1)

- X A L
- B M
- D S
- (iv) Which structure is the effector?

(1)

- A L
- B M
- D S
- (b) A nerve impulse travels at 50 metres per second.
  - (i) Calculate the time taken for an impulse to travel 180 cm.

(2)

time = .....seconds



(ii)	The length of the nerve pathway in the withdrawal reflex arc is 180 cm.	
	The time a person takes to remove their hand away from a hot object is called the response time.	
	Explain why the actual response time is different from the time taken for a nerve impulse to travel 180 cm.	(4)
	/Tatal fau O	wlsa)
	(Total for Question 6 = 10 mai	rks)

**BLANK PAGE** 



7	Biologists classify organisms into different groups. Two of these groups are bacteria
	and fungi.


(a)	Complete the passage about bacteria by writing a suitable word or words in each
	blank space.


(8)

Bacteria are small celled organisms. They have a cell
membrane and a cell, made of peptidoglycan.
Some bacteria are able to use the energy from the Sun to carry out
but other bacteria are and feed or
dead and decaying organisms.
Bacterial cells do not have a nucleus but most of their genetic material is
contained in a circular of DNA. They also have small
circles of DNA called in their cytoplasm.
Some bacteria are used by humans in food production. An example is using
to make yoghurt.
Other bacteria, such as <i>Pneumococcus</i> , cause disease and so are called

(b) A microscopic single-celled fungus, yeast, is used in the production of bread.	
Describe how yeast is used to produce bread.	(4)
(Total for Question 7 = 12	! marks)

**8** The diagrams show the female reproductive system and the male reproductive system with some structures labelled.





(a) (i) Which structure produces gametes?

(1)

- A R
- B S
- C ∪
- $\square$  **D** X
- (ii) Which structure is the site of fertilisation?

(1)

- A R
- B S
- $\square$  D X
- (iii) In which structure does the placenta usually develop?

(1)

- A R
- B S
- $\square$  **D** X



(b) Some males have an operation called a vasectomy. This means that they do not release sperm.	
This involves cutting and sealing the sperm ducts (vas deferens) inside the man's scrotum.	
(i) On the diagram draw two lines to show where the cuts are made.	(1)
(ii) Explain why this operation can be used as a permanent way of preventing pregnancy.	(2)



(4)

(c) Female sterilisation is another operation that can be used as a permanent way of preventing pregnancy. This involves cutting and sealing the fallopian tubes (oviducts).

Scientists compared female and male sterilisation, looking at the outcomes of the operations.

This is their data.

Outcome	Values are per 10	0 000 operations
Outcome	female sterilisation	male sterilisation
number of deaths during operation	2.29	0
number of deaths following operation	0.06	0
number of major complications	6170	43
number of sterilisation failures	326	160
short-term costs in millions of US dollars	198.5	49.5

The scientists concluded that male sterilisation should be recommended for most couples considering a permanent way of preventing pregnancy.

D	iscuss this	conclusion	using data	from the table	

(Total for Question 8 = 10 marks)



(a)	Explain why selective breeding with crop plants is easier and quicker than	
	selective breeding with farm animals.	(3)
b)	Selective breeding in cattle has been used to improve features such as higher milk yield, longer life and increased muscle mass.	
	Describe how selective breeding can be used to improve milk yield in dairy cattle.	
	Describe now selective breeding can be used to improve mink yield in dairy cattle.	(4)



(c	c) Scientists and farmers are also selecting animals based on behaviour and temperament.				
	(i)	Suggest why an animal with a calmer temperament may be more suitable for the farmer on a dairy farm.	(2)		
	(;;)	Cattle hebavious is also affected by the hormone advanaline When sattle are			
	(11)	Cattle behaviour is also affected by the hormone adrenaline. When cattle are more stressed, they have higher levels of adrenaline.			
		The effect of adrenaline on the cattle nervous system is similar to the effect of adrenaline in humans.			
		Describe the production of adrenaline and its effects on the body.	(4)		
	•••••				

	(iii)	Stross in cattle can also affect their reproductive system, leading to damage to		
		Stress in cattle can also affect their reproductive system, leading to damage to the placenta.		
		Describe the role of the placenta in reproduction.		
			(3)	
		(Total for Occasion O 16 more	dea)	
		(Total for Question 9 = 16 mar	KS)	



	TOTAL FOR PAPER =	110 MARKS
	(Total for Question 10	0 = 6 marks)
		(0)
	Include experimental details in your answer and write in full sentences.	(6)
	Devise an investigation to discover which colour of light results in a higher rat of photosynthesis.	te
	Some colours of light result in a higher rate of photosynthesis than other colo of light.	ours
10	Plants absorb light energy for photosynthesis.	



### **BLANK PAGE**



# **BLANK PAGE**