



Mark Scheme (Results)

November 2023

Pearson Edexcel International GCSE  
In Biology (4BI1) Paper 1B and Science Double  
Award (4SD0) Paper 1B

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

November 2023

Question Paper Log Number P73490A

Publications Code 4BI1\_1B\_MS\_2311

All the material in this publication is copyright

© Pearson Education Ltd 2023

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Mark
<b>1(a)(i)</b>	<p>The only correct answer is</p> <p>C (oak tree)</p> <p>A is not the answer as caterpillar is not a producer</p> <p>B is not the answer as earthworm is not a producer</p> <p>D is not the answer as stoat is not a producer</p>	<b>1</b>

Question Number	Answer	Mark
<b>1(a)(ii)</b>	<p>The only correct answer is</p> <p>D (ladybird)</p> <p>A is not the answer as caterpillar is not a secondary consumer</p> <p>B is not the answer as earthworm is not a secondary consumer</p> <p>C is not the answer as fox is not a secondary consumer</p>	<b>1</b>

Question Number	Answer	Mark
<b>1(a)(iii)</b>	<p>The only correct answer is</p> <p>A (blackbird)</p> <p>B is not the answer as earthworm is not a secondary and a tertiary consumer</p> <p>C is not the answer as fox is not a secondary and a tertiary consumer</p> <p>D is not the answer as stoat is not a secondary and a tertiary consumer</p>	<b>1</b>

Question Number	Answer	Additional guidance	Mark
<b>1 (b) (i)</b>	<p>An explanation that makes reference to three of the following:</p> <ul style="list-style-type: none"> <li>• fewer blackbirds / numbers fall / population reduces / die / migrate / eq (1)</li> <li>• less food (for blackbirds) fewer (caterpillars) to eat / fewer ladybirds / eq (1)</li> <li>• less food for ladybirds / fewer greenfly for ladybirds to eat/ eq (1)</li> <li>• (blackbirds) will eat more earthworms / will eat only earthworms / eq (1)</li> <li>• blackbirds consume pesticide / bioaccumulation / pesticide kills blackbirds / eq (1)</li> </ul>	Allow might / may fall	<b>3</b>

Question Number	Answer	Mark
<b>1 (b) (ii)</b>	<p>A description that makes reference to the following:</p> <ul style="list-style-type: none"> <li>• <u>biological control</u> (1)</li> <li>• introduce predator / increase ladybirds / eq (1)</li> <li>• to eat / consume / prey on greenfly / eq (1)</li> </ul>	<b>3</b>

Total 9 marks

Question Number	Answer	Mark
<b>2(a)</b>	4 (1)	<b>1</b>

Question Number	Answer	additional guidance	Mark
<b>2(b)</b>	<p>An explanation that makes reference to two of the following</p> <ul style="list-style-type: none"> <li>• remove surface moisture / liquid / eq (1)</li> <li>• that would add / alter / affect mass / affect results / eq (1)</li> <li>• so valid comparison can be made between with pre-solution dried cylinder / eq(1)</li> </ul>	<p>Ignore water</p> <p>Ignore reliable / accurate</p>	<b>2</b>

Question Number	Answer	additional guidance	Mark
<b>2(c)(i)</b>	<p>change in mass <math>2.3 - 2.2 = 0.1\text{g}</math></p> <p><math>\% = 0.1 \div 2.2 \times 100</math></p> <p><math>= 4.5</math> (2)</p>	<p>allow 1 mark for 0.1</p> <p>full marks for correct answer no working</p> <p>allow 4.55 or 4.545</p> <p>allow 4.54 dot / recurring etc</p>	<b>2</b>

Question Number	Answer	additional guidance	Mark
<b>2(c)(ii)</b>	<p>An answer that makes reference to five of the following</p> <ol style="list-style-type: none"> <li>1. loses mass in high(er) (sucrose) concentration / 1.0 / 0.8 / eq (1)</li> <li>2. gains mass in low(er) (sucrose) concentration/ 0.0 / 0.2 / 0.4/ eq (1)</li> <li>3. as water exits / enters / eq (1)</li> <li>4. by osmosis / eq (1)</li> <li>5. from higher water potential / to low water potential / eq (1)</li> <li>6. no change in mass / no (net) movement of water in 0.6 / eq (1)</li> <li>7. potato has same water potential / same concentration / isosmotic / eq (1)</li> </ol>	<p>allow weight</p> <p>As conc increases mass decreases</p> <p>As conc decreases mass of potato increases</p> <p>Allow dilute to more concentrated / from higher water conc to lower /eq</p>	<b>5</b>

Total 10 marks

Question Number	Answer	Additional guidance	Mark
<b>3(a)(i)</b>	<ul style="list-style-type: none"> <li>limewater / hydrogen carbonate indicator/ sodium hydrogen carbonate / sodium bicarbonate / bicarbonate indicator /eq</li> </ul>	allow calcium hydroxide for limewater	<b>1</b>

Question Number	Answer	Additional Guidance	Mark
<b>3(a)(ii)</b>	<p>An explanation that makes reference to three of the following:</p> <ul style="list-style-type: none"> <li>tube A (stays) clear / (stays) red / (stays) orange / no change /eq (1)</li> <li>tube B goes cloudy / milky / yellow /eq (1)</li> <li>(more) carbon dioxide in exhaled air / in tube B /eq (1)</li> </ul>	<p>Mp 1-2 Must be true for answer in (a)(i)</p> <p>If (a)(i) blank can only score mp 1 if write no change and mp 3</p> <p>allow tube A changes slowly/eq</p>	<b>3</b>

Question Number	Answer	Additional guidance	Mark
<b>3(a)(iii)</b>	<ul style="list-style-type: none"> <li>warmer / less oxygen / more water (vapour ) /eq (1)</li> </ul>	allow converse	<b>1</b>

Question Number	Answer	Mark
<b>3(b)(i)</b>	<ul style="list-style-type: none"> <li>duration (of exercise)/ time / eq (1)</li> </ul>	<b>1</b>

Question Number	Answer	additional guidance	Mark
<b>3(b)(ii)</b>	<p>An answer that includes</p> <ul style="list-style-type: none"> <li>• Scales linear and at least 2 big squares on y and 3 on x (1)</li> <li>• Lines straight and through all points (1)</li> <li>• Axis correct way round (duration on x and breathing rate y)(1)</li> <li>• Units labelled with duration/ exercise in seconds/s and breathing rate in breaths per minute / breathing rate/min eq (1)</li> <li>• Points correctly plotted within a small square (1)</li> </ul>	<p>allow truncated y</p> <p>even if unlabelled</p> <p>Bar chart max 3 no S no L</p>	<b>5</b>

Question Number	Answer	Additional guidance	Mark
<b>3(b)(iii)</b>	<p>A description that includes two of the following points:</p> <ul style="list-style-type: none"> <li>• breathing rate increases until 180 seconds / up to 42 (breathes)/ eq (1)</li> <li>• decreases slightly (between 180 -210) / eq (1)</li> <li>• (then) levels out / becomes constant / eq (1)</li> </ul>	<p>Need number ref for mp 1 but not for mp 2 mp3</p> <p>Increases decreases then constant scores =2</p>	<b>2</b>

Question Number	Answer	Mark
<b>3(b)(iv)</b>	<ul style="list-style-type: none"> <li>• repeat / use more students / people / eq (1)</li> </ul>	<b>1</b>

Total 14 marks

Question Number	Answer	additional guidance	Mark
<b>4(a)</b>	<p>An answer that makes reference to two of the following</p> <ul style="list-style-type: none"> <li>• more red cells / erythrocytes / eq (1)</li> <li>• fewer lymphocytes / eq (1)</li> <li>• fewer monocytes / eq (1)</li> <li>• fewer neutrophils / eq (1)</li> </ul>	<p><b>Allow converse for condition</b></p> <p>fewer (in condition)</p> <p>more lymphocytes</p> <p>more monocytes</p> <p>more neutrophils</p> <p>if no ref to named wbc allow fewer wbc for 1</p>	<b>2</b>

	Answer	additional guidance	Mark
<b>4(b)</b>	<p>line length = 14 (mm)</p> <p>14 mm = 14 × 1000</p> <p>magnification = 14 000 ÷ 25</p> <p>= × 560 (2)</p> <p>Allow range 520 - 600</p>	<p>1 mark for correct length and units</p> <p>13-15mm or 1.3-1.5cm</p> <p>OR</p> <p>÷ 25</p>	<b>2</b>

	Answer	additional guidance	Mark
<b>4(c)</b>	<p><math>5.0 \times 10^9 \times 1000</math></p> <p><math>5.0 \times 10^{12}</math></p> <p><math>5.0 \times 5.0 \times 10^{12}</math></p> <p>= <math>2.5 \times 10^{13}</math> (2)</p>	<p>allow 1 mark for 25 etc in answer</p>	<b>2</b>

Question Number	Answer	additional guidance	Mark
<b>4(d)</b>	<p>An answer that makes reference to four of the following</p> <ol style="list-style-type: none"> <li>1. less haemoglobin (1)</li> <li>2. less (transport of) oxygen /eq(1)</li> <li>3. less energy / less ATP / respiration / eq (1)</li> <li>4. tired / out of breath / lactic acid build up / eq (1)</li> <li>5. more immune response / greater immunity / more memory cells/ eq (1)</li> <li>6. more antibodies / eq (1)</li> <li>7. more phagocytosis / eq (1)</li> <li>8. less infection / may be infected / eq (1)</li> </ol>	<p>allow more anaerobic respiration</p> <p>allow pathogens present</p>	<b>4</b>

Total 10 marks

Question Number	Answer	Mark
<b>5(a)</b>	<ul style="list-style-type: none"> <li>(alternative) form / version of a gene /eq (1)</li> </ul>	<b>1</b>

Question Number	Answer	additional guidance	Mark
<b>5(b)(i)</b>	<p>An answer that makes reference to the following</p> <ul style="list-style-type: none"> <li>genotypes of parents Ss and Ss (1)</li> <li>gametes formed S and s            S and s (1)</li> <li>genotypes of offspring SS    Ss    ss(1)</li> <li>phenotypes of offspring stated or ratio 3 <b>short</b> to 1 <b>long</b> / eq (1)</li> </ul>	<p>Allow any symbols including different letters but not X or Y</p> <p>AB x AB</p> <p>A or B</p> <p>AA 2AB BB</p> <p>allow all marks from Punnet square</p> <p>allow te for incorrect parents 2 max gametes and offspring</p>	<b>4</b>

Question Number	Answer	additional guidance	Mark
<b>5(b)(ii)</b>	An answer that makes reference to the following <ul style="list-style-type: none"> <li>• prob of male 0.5 / prob of short hair 0.75</li> <li>• combined prob = 0.375 (2)</li> </ul>	allow 1 mark for 0.5 or $\frac{1}{2}$ or 0.75 $\frac{3}{4}$  allow 37.5% or $\frac{3}{8}$	<b>2</b>

Question Number	Answer	additional guidance	Mark
<b>5(b)(iii)</b>	An explanation that makes reference to two of the following <ul style="list-style-type: none"> <li>• cross with long-haired / ss / homozygous recessive / eq (1)</li> <li>• if SS/ homozygous / all offspring short-haired / no long-haired / eq (1)</li> <li>• if Ss/ heterozygous some long-haired / eq (1)</li> </ul>	allow other letters	<b>2</b>

Question Number	Answer	additional guidance	Mark
<b>5(c)</b>	A description that makes reference to four of the following <ul style="list-style-type: none"> <li>• mutation / eq (1)</li> <li>• variation (in behaviour) / eq (1)</li> <li>• (guinea pigs) not eaten / survive not noticed by predators / eq (1)</li> <li>• reproduce / eq (1)</li> <li>• pass on <u>allele</u> / <u>gene</u> to offspring / eq (1)</li> </ul>	allow converse	<b>4</b>

Total 13 marks

Question Number	Answer	Mark
<b>6(a)(i)</b>	<p>The only correct answer is A (L)</p> <p>B is not the answer as P is not the sensory receptor</p> <p>C is not the answer as Q is not the sensory receptor</p> <p>D is not the answer as S is not the sensory receptor</p>	<b>1</b>

Question Number	Answer	Mark
<b>6(a)(ii)</b>	<p>The only correct answer is D (P)</p> <p>A is not the answer as L is not the cell body of the relay neurone</p> <p>B is not the answer as N is not the cell body of the relay neurone motor neurone</p> <p>C is not the answer as M is not the cell body of the relay neurone</p>	<b>1</b>

Question Number	Answer	Mark
<b>6(a)(iii)</b>	<p>The only correct answer is C (R)</p> <p>A is not the answer as L is not the motor neurone</p> <p>B is not the answer as M is not the motor neurone</p> <p>D is not the answer as S is not the motor neurone</p>	<b>1</b>

Question Number	Answer	Mark
<b>6(a)(iv)</b>	The only correct answer is D (S)  A is not the answer as L is not the effector  B is not the answer as M is not the effector  C is not the answer as Q is not the effector	<b>1</b>

Question Number	Answer	additional guidance	Mark
<b>6(b)(i)</b>	180 cm = 1.8m  time = $1.8 \div 50$  = 0.036 or $3.6 \times 10^{-2}$ (2)	allow 1 mark for $\div 50$ or $\div 5000$  allow full marks for correct answer alone	<b>2</b>

Question Number	Answer	additional guidance	Mark
<b>6(b)(ii)</b>	An explanation that makes reference to four of the following  1. response time slower / longer / delay / (more) time taken / eq (1)  2. (delay / transmission ) between neurones / in between neurones / not just speed along neurones / eq (1)  3. (includes time) to generate impulse (in receptor) / (time) for muscle to contract / eq (1)  4. chemical coordination / diffusion / eq (1)  5. <u>synapse</u> (1)  6. <u>neurotransmitter</u> / named neurotransmitter (1)	ignore impulse travels faster          synapses between neurones scores mp 2 and 5	<b>4</b>

Total 10 marks



Question Number	Answer	Mark
<b>8(a)(i)</b>	<p>The only correct answer is C (U)</p> <p>A is not the answer as R does not produce gametes</p> <p>B is not the answer as S does not produce gametes</p> <p>D is not the answer as X does not produce gametes</p>	<b>1</b>

Question Number	Answer	Mark
<b>8(a)(ii)</b>	<p>The only correct answer is A (R)</p> <p>B is not the answer as S is not the site of fertilisation</p> <p>C is not the answer as W is not the site of fertilisation</p> <p>D is not the answer as X is not the site of fertilisation</p>	<b>1</b>

Question Number	Answer	Mark
<b>8(a)(iii)</b>	<p>The only correct answer is D (X)</p> <p>A is not the answer as R is not where the placenta usually develops</p> <p>B is not the answer as S is not where the placenta usually develops</p> <p>C is not the answer as W is not where the placenta usually develops</p>	<b>1</b>

Question Number	Answer	additional guidance	Mark
<b>8(b) (i)</b>		any cut of <b>both</b> sperm ducts / in or out of scrotum eq	<b>1</b>

Question Number	Answer	additional guidance	Mark
<b>8(b)(ii)</b>	<p>An explanation that makes reference to two of the following</p> <ul style="list-style-type: none"> <li>• no sperm in semen / no sperm released / eq (1)</li> <li>• in / from urethra / penis no sperm ejaculated / (1)</li> <li>• transferred to female / eq (1)</li> <li>• egg not fertilised /no fertilisation /eq (1)</li> </ul>	<p>ignore sperm not produced</p> <p>ignore no semen released/ ejaculated</p>	<b>2</b>

Question Number	Answer	additional guidance	Mark
<b>8(c)</b>	<p>An answer that makes reference to four of the following</p> <ol style="list-style-type: none"> <li>1. easier / simpler operation / testes scrotum outside/ less invasive / eq (1)</li> <li>2. large study / reliable /significant / valid / eq (1)</li> <li>3. no deaths in males / eq (1)</li> <li>4. fewer complications in male / eq (1)</li> <li>5. fewer failures in male / more successful / eq (1)</li> <li>6. cheaper in male / eq (1)</li> <li>7. no data on age / illness / medical conditions / mass / eq (1)</li> </ol>	<p><b>allow converse</b></p> <p>ignore risky / safe / dangerous</p> <p>ignore fewer deaths in males</p> <p>allow some deaths / more deaths in females</p>	<b>4</b>

Total 10 marks

Question Number	Answer	additional guidance	Mark
<b>9(a)</b>	<p>An explanation answer that makes reference to three of the following:</p> <ul style="list-style-type: none"> <li>• plants produce many more (seeds) / offspring / more yield / eq (1)</li> <li>• quicker to reach maturity / quicker to develop / shorter life cycle / eq (1)</li> <li>• plants can be self-pollinated / eq (1)</li> <li>• easier to control plants environment / eq (1)</li> </ul>	<p>allow converse</p> <p>allow grow fully not just reproduce quicker</p>	<b>3</b>

Question Number	Answer	Additional guidance	Mark
<b>9(b)</b>	<p>A description that makes reference to four of the following:</p> <ul style="list-style-type: none"> <li>• select / choose / mate breed bulls / fathers that produce daughters / have mothers/ sisters with highest milk yield / selecting for twins / eq (1)</li> <li>• select choose / mate breed cows / mothers that have highest milk yield / or from mothers / have sisters with highest milk yield / eq (1)</li> <li>• select choose / mate breed offspring (cows) that have highest milk yield of all (female) offspring / eq (1)</li> <li>• repeat for many generations /eq (1)</li> </ul>	<p>Ignore cattle allow male</p> <p>Inseminate allow female / cow</p>	<b>4</b>

Question Number	Answer	Mark
<b>9(c)(i)</b>	<p>An answer that makes reference to two of the following:</p> <ul style="list-style-type: none"> <li>• cows easier to manage / move around farm / milk / eq (1)</li> <li>• cows less likely to fight / harm farmer / harm other animals /eq (1)</li> <li>• cows less lightly to run around /eq(1)</li> <li>• more energy used in growth/ more milk production / more yield / eq (1)</li> </ul>	<b>2</b>

Question Number	Answer	Mark
<b>9(c)(ii)</b>	<p>A description that makes reference to four of the following:</p> <ol style="list-style-type: none"> <li>1. produced by adrenal glands (1)</li> <li>2. causes heart rate to increase /eq (1)</li> <li>3. prepares body for fight / flight / fright / eq (1)</li> <li>4. increases blood flow to muscles / blood diverted from intestines/eq (1)</li> <li>5. increases breathing rate / depth / eq (1)</li> <li>6. converts glycogen into glucose / increase blood glucose /increase blood sugar / eq (1)</li> <li>7. pupils dilate / eq (1)</li> <li>8. reactions are faster / eq (1)</li> </ol>	<b>4</b>

Question Number	Answer	Additional guidance	Mark
<b>9(c)(iii)</b>	<p>A description that makes reference to three of the following:</p> <ul style="list-style-type: none"> <li>• allows <u>diffusion</u> (1)</li> <li>• provides oxygen / glucose / amino acids / nutrients / vitamins / minerals /eq/(1)</li> <li>• provides antibodies (1)</li> <li>• removes of carbon dioxide / urea / eq (1)</li> <li>• secretes hormones / progesterone / eq (1)</li> </ul>	<p><b>Must indicate direction</b> named vitamin / mineral ignore food alone</p> <p><b>Must indicate direction</b> ignore waste allow oestrogen</p>	<b>3</b>

Total 16 marks

Question Number	Answer	Additional guidance	Mark
<b>10</b>	<p>C use light bulbs / lamps different colours / wavelengths / eq (1)</p> <p>O of same species (of water) plant / age / size / condition / eq (1)</p> <p>R repeat / (calculate mean for each different colour ) / eq (1)</p> <p>M1 measure volume of oxygen evolved / count bubbles /eq</p> <p>M2 in stated time period / minutes / eq (1)</p> <p>S1 at same temperature / same distance /same light intensity / same bulb / eq</p> <p>S2 same carbon dioxide concentration / same mineral ions / same pH /eq (1)</p>	<p>allow change in suitable indicator / allow testing leaves for starch</p>	<b>6</b>

Total 6 marks

